



### EQUIVALENCIA NORMAS EUROPEAS

	EUROPA	ESPAÑA	ALEMANIA	FRANCIA	ITALIA	U.K
<b>NORMAS</b>	<b>EN-10139</b>	<b>UNE-36086</b>	<b>DIN-1624</b>	<b>NF A 37-501</b>	<b>UNI-5961</b>	<b>BS-1449</b>
<b>Acero bajo Carbono para embutición</b>	DC 01 LC	AP 01	ST 2LG	F 12 SKP	Fe P01	CS 4
	DC 01 C290	1/8 Duro	ST 2 K32	F 12 T1	Fe P01 390HK	CS 4 H1
	DC 01 C340					CS 4 H2
	DC 01 C390	1/4 Duro	ST 2 K50	F 12 T2	Fe P01 390 HK	
	DC 01 C440					CS 4 H3
	DC 01 C490	1/2 Duro	ST 2 K50	F 12 T3	Fe P01 490 HK	CS 4 H4
	DC 01 C590	3/4 Duro	ST2 K60	F 12 T4	Fe P01 590 HK	CS 4 H5
	DC 01 C690	4/4 Duro	ST2 K70			CS 4 H6
	DC 03 LC	AP 03	ST3 LG	F 13 SKP	Fe P03	CS 2
	DC 03 C290		ST 3 K32	F 13 T1		
	DC 03 C340			F 13 T2		
	DC 03 C390		ST 3 K40		Fe P03 390 HK	
	DC 03 C440					
	DC 03 C490		ST 3 K50	F 13 T2	Fe P03 490HK	
	DC 03 C590		ST 3 K60	F 13 T3	Fe P03 590HK	
	DC 04 LC	AP 04	ST 4 LG	F 13 T4	Fe P04	CS 1
	DC 04 C290		ST 4 K32	F 14 T1		
	DC 04 C340		ST 4 K40			
	DC 04 C390			F 14 T2	Fe P04 390HK	
	DC 04 C440					
	DC 04 C490		ST 4 K50	F 14 T3	Fe P04 490HK	
	DC 04 C590		ST 4 K60	F 14 T4	Fe P04 590HK	
	DC 05 LC					
	DC 06 LC					
<b>NORMAS</b>	<b>EN-10139</b>	<b>UNE-36086</b>	<b>DIN-1624</b>	<b>NF A 37-501</b>	<b>UNI-5961</b>	<b>BS-1449</b>
<b>Acero para Cementación</b>	C10E	C10K	Ck 10	XC 10	C 10	CS 12
	C15E	C16K	Ck 15	XC 15	C 16	CS 17
<b>NORMAS</b>	<b>EN-10139</b>	<b>UNE-36086</b>	<b>DIN-1624</b>	<b>NF A 37-501</b>	<b>UNI-5961</b>	<b>BS-1449</b>
<b>Acero para tratamiento</b>	C45E	C45K	Ck 45	XC 45	C 46	CS 50
	C55E	C55K	Ck 55	XC 54	C 56	
	C60E		Ck 60	XC 60	C 61	CS 60
<b>NORMAS</b>	<b>EN-10139</b>	<b>UNE-36086</b>	<b>DIN-1624</b>	<b>NF A 37-501</b>	<b>UNI-5961</b>	<b>BS-1449</b>
<b>Acero para Muelles</b>	C55S		Ck 55	XC 54	C55	
	C60S	F1410	Ck 60	XC 60	C 60	CS 60
	C67S		Ck 67	XC 68	C 67	CS70
	C75S		Ck 75	XC 75	C 75	